

Pavol Mederly / December 2023 Senior Software Developer Agenda

- Overview
- Demonstration
- Customization
- Tips and tricks
- Future developments





An Overview

- Identity management is a complex field
- Full understanding of the data is scarce
- Results of actions can be hard to predict
- Configuration errors can be disastrous
- Testing environment is expensive, and sometimes unfeasible



• Simulations

• Seeing the expected effects of actions in a safe way




Benefits of Simulations

- Faster connect/clean-up/automate cycle
 - **connect**: new systems are connected to midPoint more easily
 - clean-up: data quality can be improved more efficiently
 - **automate**: processes (including *joiners* and *leavers*) are implemented in shorter time
- Reducing the risk throughout the cycle
- No need for separate testing environment
- Also in operational stage
 - supporting reorganizations movers
 - protect against unexpected events






Basic Terms





Production and Development Configuration

- Using the lifecycle state as a discriminator
 - production = active + deprecated
 - development = active + proposed
- Supported configuration items:
 - resource
 - resource object class and type
 - resource object attribute & association
 - synchronization reaction
 - abstract roles (role, org, service, archetype)
 - assignment and inducement
 - object template
 - mapping





Short demo



← Back Simulation result: Reconciliation task: OpenLDAP: Account/default (simulated), 2023-12-06T23:30:18.597+01:00

Q View processed objects

Simulation tag	ask details	 Event marks 			
Start timestamp	6 December 2023 at 23:30:18 CET	Focus activated	Focus deactivated	Focus renamed	Focus assignments changed
End timestamp	6 December 2023 at	0	0	0	0
	23:30:28 CET	More info 🕤	More info 🕤	More info 🕤	More info 🕤
Finished in	10 seconds	Focus archetype changed	Focus parent organization refer	Focus role membership changed	Projection activated
Task	Reconciliation task: OpenLDAP:	0	0	0	0
	Account/default (simulated)	More info 🕤	More info ᅌ	More info \varTheta	More info 🕤
Status	Finished	Projection deactivated	Projection renamed	Projection identifier changed	Projection entitlement changed
Configuration	Development	4	0	0	39
Added objects	0	More info 오	More info 🕤	More info 🕤	More info 🕏
Deleted objects	4	Projection password changed	Resource object affected	LDAP account modified	LDAP service account modified
Modified objects	490	0	249	249	3
Unmodified	257	More info 🕤	More info 🕤	More info 🕤	More info \varTheta
objects		 Metrics 			
All processed objects	751	Attributes modified	Attributes modified per account	Ratio of LDAP accounts modified	
Errors	0	546	2.229	0.984	

- Standard reports
 - All simulation results
 - Objects in the given simulation result (with/without metrics)
 - Items changed
 - Values changed





Selected Parts of "Simulation Results" Report

Event mark	Explicit metric	Aggregation function	Scope: resou	Value 💌	Selection si 💌	Selection total val 💌	Domain si 💌	Domain total val 💌
LDAP account modified		Selection total value	HR	0	0	C	249	0
LDAP account modified		Selection total value	OpenLDAP	249	249	249	253	249
LDAP service account modified		Selection total value	HR	0	0	C	249	0
LDAP service account modified		Selection total value	OpenLDAP	3	3	3	253	3
Projection activated		Selection total value	HR	0	0	C	249	0
Projection activated		Selection total value	OpenLDAP	0	0	C	253	0
Projection deactivated		Selection total value	HR	0	0	C	249	0
Projection deactivated		Selection total value	OpenLDAP	4	4	4	253	4
Projection entitlement changed		Selection total value	HR	0	0	C	249	0
Projection entitlement changed		Selection total value	OpenLDAP	39	39	39	253	39
Projection identifier changed		Selection total value	HR	0	0	C) 249	0
Projection identifier changed		Selection total value	OpenLDAP	0	0	C	253	0
Projection password changed		Selection total value	HR	0	0	C	249	0
Projection password changed		Selection total value	OpenLDAP	0	0	C	253	0
Projection renamed		Selection total value	HR	0	0	C	249	0
Projection renamed		Selection total value	OpenLDAP	0	0	C	253	0
Resource object affected		Selection total value	HR	0	0	C	249	0
Resource object affected		Selection total value	OpenLDAP	249	249	249	253	249
	attribute-modifications	Selection total value	HR	0	0	C	249	0
	attribute-modifications	Selection total value	OpenLDAP	546	245	546	253	546
	Idap-accounts-modified-ratio	Selection size to domain size	OpenLDAP	0.984	249	249	253	249
	modifications-per-account-modified	Selection total value to selection size	HR		0	C	249	0
	modifications-per-account-modified	Selection total value to selection size	OpenLDAP	2.229	245	546	253	546



Name	Resource		Event mark		Selecte -	Valu 💌
uid=dmarsden.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications		2
uid=ncathcar.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=telie,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=tcornish,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	3
uid=wlomax.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	3
uid=pstiller.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=cressler.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	3
uid=mblythe.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=lforney.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=msheley.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=mreeves.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2 2 2 2 2 2
uid=rshanaha.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	
uid=afrances.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=mattaway.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=bvandegr.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=dtannehi,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2 2
uid=jquach.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=acusick.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=mstimpso,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2 2
uid=tjenning,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=jnecaise.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	3
uid=hlavoie.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	3
uid=tkifer,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=mescobed,ou=people,dc=example,dc=con	1 OpenLDAP	Modified		attribute-modifications	true	2
uid=oho,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=jgerald.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=vlam,ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=rwunsch.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2 2 2 2 2 2
uid=cmoak.ou=people,dc=example,dc=com	OpenLDAP	Modified		attribute-modifications	true	2
uid=amcnicho.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	
uid=csilveir.ou=people.dc=example.dc=com	OpenLDAP	Modified		attribute-modifications	true	2

Name Item changed	Cld value(s)	▼ New value(s)
uid=dmarsden,ou=people,dc=example,dc=covattributes/ou	Training	
uid=ncathcar.ou=people.dc=example.dc=con•attributes/ou	Strategy - Planning	
uid=telie.ou=people.dc=example.dc=com attributes/ou	Professional Services	
uid=tcornish.ou=people,dc=example,dc=com attributes/mail	cornish6@ext.example.org	tcornish@example.org
uid=tcornish.ou=people.dc=example.dc=com attributes/ou	Sales	
uid=wlomax.ou=people,dc=example,dc=com attributes/mail	lomax4@ext.example.org	wlomax@example.org
uid=wlomax.ou=people,dc=example,dc=com attributes/ou	Inventory	
uid=pstiller.ou=people.dc=example.dc=com attributes/ou	Training	
uid=cressler.ou=people.dc=example.dc=com attributes/mail	ressler6@ext.example.org	cressler@example.org
uid=cressler,ou=people,dc=example,dc=com attributes/ou	Business Development	
uid=mblythe.ou=people,dc=example,dc=com attributes/ou	Design	
uid=lforney,ou=people,dc=example,dc=com attributes/ou	Logistics	
uid=msheley.ou=people,dc=example,dc=com attributes/ou	Marketing	
uid=mreeves.ou=people,dc=example,dc=con•attributes/ou	Human Resources	
uid=rshanaha.ou=people,dc=example,dc=corattributes/ou	Professional Services	
uid=afrances.ou=people.dc=example.dc=con•attributes/ou	Customer Service	
uid=mattaway.ou=people,dc=example,dc=co+attributes/ou	Strategy - Planning	
uid=bvandegr.ou=people,dc=example,dc=corattributes/ou	Purchasing	
uid=dtannehi.ou=people,dc=example,dc=con•attributes/ou	Accounting	
uid=jquach.ou=people.dc=example.dc=com attributes/ou	Quality Assurance	
uid=acusick.ou=people,dc=example,dc=com attributes/ou	Information Technology	
uid=mstimpso.ou=people,dc=example,dc=co+attributes/ou	Inventory	
uid=tjenning,ou=people,dc=example,dc=com attributes/ou	Administration	
uid=jnecaise.ou=people,dc=example,dc=com attributes/mail	necaise9@ext.example.org	jnecaise@example.org
uid=jnecaise.ou=people,dc=example,dc=com attributes/ou	Accounting	
uid=hlavoie,ou=people,dc=example,dc=com attributes/mail	lavoie6@ext.example.org	hlavoie@example.org
uid=hlavoie,ou=people,dc=example,dc=com attributes/ou	Business Development	
uid=tkifer.ou=people.dc=example.dc=com attributes/ou	Training	
uid=mescobed.ou=people,dc=example,dc=coattributes/ou	Logistics	
uid=oho,ou=people,dc=example,dc=com attributes/ou	Marketing	
uid=jgerald.ou=people.dc=example.dc=com attributes/ou	Warehouse	
uid=vlam.ou=people,dc=example,dc=com attributes/ou	Support Services	
uid=rwunsch.ou=people,dc=example,dc=com attributes/ou	Supply Chain	
uid=cmoak.ou=people.dc=example.dc=com attributes/ou	Manufacturing	

Simulation Metrics

Event marks

Focus activated	Focus deactivated	Focus renamed	Focus assignments changed
0	0	0	0
More info 🕤	More info 🤤	More info 🕤	More info 🕤
Focus archetype changed	Focus parent organization reference changed	Focus role membership changed	Projection activated
0	0	0	0
More info 🕤	More info 😏	More info 🥑	More info 🕥
Projection deactivated	Projection renamed	Projection identifier changed	Projection entitlement changed
4	0	0	39
More info 😌	More info 🗢	More info \varTheta	More info 오
Projection password changed	Resource object affected	LDAP account modified	LDAP service account modified
0	249	249	3
More info 🚭	More info 🕤	More info 🕤	More info 🕤

Metrics

 Attributes modified
 Attributes modified per account
 Ratio of LDAP accounts modified

 546
 2.229
 0.984

Numeric values attached to individual processed objects or their aggregations

Туре	Example	Values	Searchable	Customizable
built-in	added, deleted, modified	0 or 1	yes	no
event mark based	focus activated, deactivated	0 or 1	yes	yes
explicit (custom)	number of modifications	any number	not yet	yes



Event Marks

- Operations can be classified by attaching marks
- Used by simulations, later: audit, dashboards
 - Meant to (eventually) replace policy situations
- Default set of marks provided
- Not to be confused with **object marks**

Focus activated	Focus deactivated	Focus renamed
0	0	0
More info 🕥	More info 🕥	More info \varTheta
Focus assignments changed	Focus archetype changed	Focus parent organization .
0	0	0
More info 🕤	More info 🕥	More info 🕏
Focus role membership ch	Projection activated	Projection deactivated
0	0	0
More info 🕥	More info 🕤	More info 🕤
Projection renamed	Projection identifier changed	Projection entitlement cha.
0	0	0
More info 🕤	More info 🕥	More info ᅌ
Projection password chang	Resource object affected	
0	5	
More info 🕤	More info 🔿	



Example: "Focus Renamed" Mark

```
<mark xmlns="http://midpoint.evolveum.com/xml/ns/public/common/common-3"
      oid="0000000-0000-0000-0000-00000000712">
    <name>Focus renamed</name>
    <description>Operation that renamed the focus</description>
    <assignment>
        <targetRef oid="00000000-0000-0000-0000-000000000000" type="ArchetypeType"/>
    </assignment>
    <displayOrder>120</displayOrder>
    <policyRule>
        <policyConstraints>
            <modification>
                <operation>modify</operation>
                <item>name</item>
            </modification>
        </policyConstraints>
    </policyRule>
</mark>
```




Example: "Service Account Modified" Mark

<mark <="" th="" xmlns="http://midpoint.evolveum.com/xml/ns/public/common/common-3"></mark>
<pre>xmlns:ri="http://midpoint.evolveum.com/xml/ns/public/resource/instance-3"</pre>
xmlns:q="http://prism.evolveum.com/xml/ns/public/querv-3"
oid="5dbdc23e-2135-4537-ac97-d47bc066fa46">
<name>Service account modified</name>
<assignment></assignment>
<targetref oid="00000000-0000-0000-0000-0000000000000</td></tr><tr><td></assignment></td></tr><tr><td><pre><displayOrder>900</displayOrder> <math>\leftarrow!</math> show this mark at the end</pre></td></tr><tr><td><pre><pre>cpolicyRule></pre></td></tr><tr><td><pre><policyConstraints></pre></td></tr><tr><td><pre><objectState></pre></td></tr><tr><td><filter></td></tr><tr><td><q:text>resourceRef matches (oid = '32531590-4606-4333-9cc2-0faalae68509')</q:text> <math>\leftarrow</math>!</td></tr><tr><td></filter></td></tr><tr><td></objectState></td></tr><tr><td><pre><objectState></pre></td></tr><tr><td><filter></td></tr><tr><td><q:text>attributes/ri:employeeType = " q:text="" service"<=""></targetref>
<pre><or> <!-- copied from "resource object affected" event mark <math-->\rightarrow</or></pre>
<modification></modification>
<operation>modify</operation>
<pre><specialitem>resourceObjectItem</specialitem></pre>
<modification></modification>
\leftarrow !— We assume that ADD/DELETE always modifies the state of the resource \rightarrow
<pre><operation> add</operation> </pre>
<pre><operation>delete</operation></pre>
<pre><evaluationtarget>projection</evaluationtarget></pre>
<pre></pre>



Metric Domain, Selection, and Value





Custom Metric Definition

```
<metric>
    <identifier>attribute-modifications</identifier>
    <display>
        <label>Attributes modified</label>
    </display>
    <computation>
        <domain>
            <expression>
                <script>
                    <code>processedObject.shadow</code>
                </script>
            </expression>
        </domain>
        <valueExpression>
            <script>
                <code>processedObject.attributeModificationsCount</code>
            </script>
        </valueExpression>
    </computation>
</metric>
```

© 2023 Evolveum s.r.o. All rights reserved.



Metrics Aggregation

```
<metric>
<identifier>modifications-per-account-modified</identifier>
<display>
<label>Attributes modified per account</label>
</display>
<aggregation>
<aggregationFunction>selectionTotalValueToSelectionSize</aggregationFunction>
<source>
<ii><identifier>attribute-modifications</identifier>
</aggregation>
</metric>
```

Metrics

Attributes modified

546

Attributes modified per account

2.229



Metrics Aggregation

Aggregation function	Description
selectionSize	number of objects selected by this metric
selectionTotalValue	sum of metric values for all objects selected by this metric
domainSize	number of objects in the domain of this metric
domainTotalValue	sum of metric values for all objects in the domain of this metric
domainTotalValueToDomainSize	domainTotalValue / domainSize
selectionTotalValueToDomainSize	selectionTotalValue / domainSize
selectionTotalValueToSelectionSize	selectionTotalValue / selectionSize
selectionSizeToDomainSize	selectionSize / domainSize
selectionTotalValueToDomainTotalValue	selectionTotalValue / domainTotalValue
domainMinValue	minimal metric value in the domain
selectionMinValue	minimal metric value in the selection
domainMaxValue	maximum metric value in the domain
selectionMaxValue	maximum metric value in the selection



How to Run Simulations

- On foreground
 - GUI: "import preview" (development or production)
 - GUI: "preview changes" (production only)
 - API: ModelInteractionService.executeWithSimulationResult
- On background
 - Synchronization, recomputation, scripting, change execution activities
 - GUI: various places where tasks are created
 - Via task settings:
 - activity/execution/mode (full, preview)
 - activity/execution/configurationToUse (production, development)
 - activity/reporting/simulationResult (enabled, definition)





Tips and Tricks: Replacing Configuration Items

- Simulating configuration items replacement
 - Create a clone of the item in the "proposed" state
 - Original item set to "deprecated"
- It can be used for the majority of mappings, all assignments, inducements, synchronization reactions, and object templates (using a workaround)
- For others, the recommended way is to replace just the relevant parts





Tips and Tricks: Avoiding Unsafe Operations

- Beware of a custom code!
- Stay with documented API, do not call lower-level APIs
 - midpoint.* methods are OK (except for two of them, see docs)
- Avoid actions outside midPoint: files, sockets, ...
- Use task.getExecutionMode() to check if necessary





Limitations

- Simulated changes are just recorded, not used for subsequent operations
 - Create-on-demand is reported multiple times
- Multi-node tasks are not supported
- Approvals and notifications are skipped





Future Work: Shadow Management Simulation

- Allows simulating shadow classification and correlation processes
- Synchronization is always skipped in this mode
- Experimental because of minor usability limitations





Future Work: Others

- Overcoming the limitations
- Better support for role management
- Policy-based validation of input data
- Reducing the amount of data





- Simulations feature is a powerful tool to be used when developing, maintaining, and operating a midPoint-based solution
- Speed, confidence, safety
- Powerful configuration options

- For more information, please see
 - https://docs.evolveum.com/midpoint/reference/simulation/
 - First Steps Methodology webinar by Ivan Noris: https://www.youtube.com/watch?v=suo775ym_PE





Next Webinars

- Upgrade with Ninja, January 25, 2024
- More webinars coming in 2024





Meet us at TIIME

- Jan 29 Feb 01, 2024, Copenhagen, Denmark
- MidPoint Working Group (Jan 29 30)
 - 3 workshops and lot of the presentations
- See the agenda
- Call for speakers
 - Contact us at marketing@evolveum.com
- Register here: https://tiime-unconference.eu/





Thank you for your attention

Do you have any questions? Feel free to contact us at info@evolveum.com

Follow us on social media or join us at GitHub or Gitter!



© 2023 Evolveum s.r.o. All rights reserved.